SEEP/

SEEP/

/

A SEEP3D SEEP/ 3D

B C

SEEP/W supports a range of boundary condition options. Field data or user-speci□ed functional relationships can be inputted to de□ne hydrographs, reservoir □uctuations, rainfall cycles, vegetation e□ects, or land-climate interactions.

Integration of SEEP/W and SEEP3D with SLOPE/W makes it possible to analyze the stability of any natural or man-made system subject to transient changes in pore-water pressure. Seamlessly combine SEEP/W and SEEP3D, to analyze 2D and 3D groundwater □ow in the same project □le.

M P□

Hydraulic conductivity and volumetric water content functions can be estimated using built-in functions. The estimation process requires only fundamental information. A saturated-only material model is also available.

The rigorous saturated/unsaturated formulation of SEEP/W means that even the most demanding □ow problems, such as in□ltration into dry soil or seepage through complex upstream tailings dams, can be analyzed with ease.



/W and SEEP3D o
erful analytical
d in combina
roducts.

EP/

undwater □c

P/ +SEEP3D

urface dewa

SEEP3

P

2D 3



GeoStudio is the leading suite of geo-engineering software used in over 100 countries for the last 40 years. Join thousands of practising engineers, scientists, regulators, professors and students, and start using GeoStudio today.

PROFESSIONAL TECHNICAL SUPPORT | PRODa.cO0 (T)15)-1 T26cm0c

SEEQUENT

FROM COMPLEXITY TO CLARITY

seequent.com | geoslope.com